

## **MATERIAL SAFETY DATA SHEET**

## Bio Lube<sup>TM</sup> Advanced Dental Handpiece Lubricant

Telephone (706) 868-0105 4003 Enterprise Court Augusta, Georgia 30907 USA Fax (706) 650-7468

	, <u> </u>	SECTION I – PRODUCT IDENTIFICATION
1	Manufacturar	: Southland Distribution & Sales
1. 2.	Manufacturer Name	: Bio Lube™ Advanced Dental Handpiece Lubricant
2. 3.		
	Product use	: Synthetic lubricant for dental handpiece lubrication
4.	Toxicity	: Not a controlled product
5.	Formula	: A proprietary synthetic, biodegradable, non-toxic lubricant
6.	Transportation	: DÔT Hazard Class—Not Regulated
SECTION II – PHYSICAL DATA		
1.	Physical State	: Clear Liquid
2.	Color. ASTM	: < 0.5
3.	Specific Gravity	: 0.835 @ 15.6° C (60° F)
4.	Flash Point	: > 266° C (> 510° F), Open Cup
5.	Pour Point	: -54° C (-65° F)
6.	Refractive Index	: 1.4615 @ 25° C (77° F)
7.	Evaporation Loss	: 22h, 0.7 @ 150° C (302° F)
8.	Aniline Point	: 134.6° C (274.3° F)
9.	Surface Tension	: 30.2 Dynes/cm @ 24° C (75° F)
	Total Acid Number	< 0.05  mg/KOH/g
11.	Kinematic Viscosity	: 10 cSt @ 100° C (212° F), 66 cSt @ 40° C (104° F)
SECTION III – REACTIVITY DATA		
1.	Chemical Stability	: Stable
2.	Reactivity	: Nil
3.		product : Carbon monoxide
4.	Hazardous polymerization	: Will not occur
5.	Incompatibility	: Avoid contact with strong oxidizing agents
SECTION IV - FIRE AND EXPLOSION DATA		
1.	Flammability	: Low Hazard. Product is non-flammable at ambient temperature, liquid
		may burn at temperatures near the boiling point.
2.	Extinguishing Agents	: Dry chemical, CO <sub>2</sub> , Water Spray, Foam, Water Fog and Sand Earth.
SECTION V – TOXICOLOGICAL PROPERTIES		
1.	Oral toxicity	: Practically non-toxic, LD50 > 2000 mg/kg
2.	Dermal toxicity	: Practically non-toxic, LD50 > 2000 mg/kg
3.	Inhalation toxicity	: Practically non-toxic, LD50 > 5 mg/l
4.	Eye irritation	: Practically non-irritating, Draize score: 0 or >, but < 6.
5.	Skin irritation	: Practically non-irritating, Primary Irritation Index, 0.5 or less.
<del></del>		
SECTION VI - HEALTH HAZARD DATA  1 Description - Air F. mg/m3 for ail mist, may OSHA		
1.	Permissible concentration	: Air 5 mg/m³ for oil mist, re: OSHA
2.	Eyes	: Flush with water. If irritation continues, consult physician.
3.	Skin	: N/A
4.	Inhalation	: N/A
5.	If swallowed	: Call physician, do not induce vomiting.
SECTION VII – ECOLOGICAL INFORMATION		
1.	Ecotoxicity	: Not expected to be harmful to aquatic organisms (LL50 or EL50
		>100mg/L). Not expected to cause long-term adverse effects based on
		chronic test data (invertebrate Daphnia magna NOEL >= 100 ppm).
		Based upon test data for a similar product.
		Mobility, persistence and degradability and bioaccumulative potential not
		established.
		SECTION VIII - LEAKS OR SPILLS

Lock off leak and/or source of spill. Remove all sources of ignition and where possible, uncontaminated equipment/items. USE CAUTION AS EXPOSED SURFACES MAY BE EXTREMELY SLIPPERY. Using saturation techniques, soak up leaked and/or spilled solutions with absorbent material. Dispose of saturated materials in accordance with Federal, State and local regulations.

## **SECTION IX - PREPARATION OF MATERIAL**

Bio Lube<sup>TM</sup> believes the statements, technical information and recommendations contained herein are reliable, however they are given without warranty or guarantee or any kind, express or implied, and Bio Lube $^{\text{TM}}$ assumes no responsibility for any loss, damage or expense, direct or consequential, arising out of their use.